

## PRODUCT LINE OVERVIEW: RACO

*Please request for specific products not cataloged.*

### Steel Boxes and Covers

- Ceiling Fan Support Products
  - 4" Round Ceiling Fan and Fixture Box - Saddle Box® for Nonmetallic Sheathed Cable or Conduit - 12.5 Cu. In.
  - 4" Round Ceiling Fan Pan - 1/2" deep - Drawn with Conduit KO's 6.0 Cu. In.
  - 4" Octagon Ceiling Fan Box - 1-1/2" and 2-1/8" deep - Drawn with Insider® Connector for Nonmetallic Sheathed Cable
  - 4" Octagon Ceiling Fan Box - 2-1/8" deep - Drawn with Insider® Connector for Nonmetallic Sheathed Cable - 21.5 Cu. In.
  - Replacement Hardware - Fan Mounting Screws
  - Remodeling Braces for Lighting Fixtures or Ceiling Fans - Retro-brace with Box
  - New Construction Braces for Lighting Fixtures or Ceiling Fans Kwik-brace with Box
  - Concrete Ring - 4" deep - for Ceiling Fan Support - Gorilla Ring
  - 3-1/2" Round Pan - 1/2" deep - Drawn with Nonmetallic Sheathed Cable Clamps - 4.0 Cu. In.
  - 3-1/2" Round Pan - 11/16" deep - Drawn with Nonmetallic Sheathed Cable Clamps - 5.0 Cu. In.
  - 4" Round Ceiling Fan and Fixture Pan - 1/2" deep - Drawn with Conduit KO's 6.0 Cu. In.
  - 3-1/2" Round Cover
- 3-1/2" Octagon Boxes
  - 3-1/2" Octagon Box - 1-1/2" deep - Drawn with Conduit KO's - 11.8 Cu. In.
  - 3-1/2" Octagon Box - 1-1/2" deep - Drawn with Nonmetallic Sheathed Cable Clamps - 11.8 Cu. In.
  - 3-1/2" Octagon Extension Ring - 1-1/2" deep - Drawn with Conduit KO's - 11.8 Cu. In.
- 4" Octagon Boxes and Extensions
  - 4" Octagon Box - 1-1/2" deep - Drawn with Conduit KO's - 15.5 Cu. In.
  - 4" Octagon Box with Bar Hanger - 1-1/2" deep (inside) - Drawn with Conduit KO's - 15.5 Cu. In.
  - 4" Octagon Box - 1-1/2" deep - Drawn with Nonmetallic Sheathed Cable Clamps - 15.5 Cu. In.
  - 4" Octagon with Bar Hanger - 1-1/2" deep - Drawn with Nonmetallic Sheathed Cable Clamps - 15.5 Cu. In.
  - 4" Octagon Box with Bar Hanger - 1-1/2" deep - Drawn with Armored Cable/metal Clad/flex Clamps - 15.5 Cu. In.
  - 4" Octagon Box - 1-1/2" deep - Drawn with Armored Cable/metal Clad/flex Clamps - 15.5 Cu. In.
  - 4" Octagon Box - 2-1/8" deep (inside) - Drawn with Conduit Knockouts - 21.5 Cu. In.
  - 4" Octagon Box - 2-1/8" deep - Drawn with Nonmetallic Sheathed Cable Clamps - 21.5 Cu. In.
  - 4" Octagon Extension Rings - 1-1/2" deep - Drawn with Conduit KO's - 15.5 Cu. In.
- Octagon and Round Covers
  - 4" Octagon and Round Covers
  - Swivel Fixture, Support Covers
  - 5" Round Steel Closure Plates
- 4" Square Boxes
  - 4" Square - 1-1/4" deep (inside) - Drawn with Conduit KO's - 18.0 Cu. In.
  - 4" Square - 1-1/2" deep (inside) - Drawn with Conduit KO's - 21.0 Cu. In.
  - 4" Square - 1-1/2" deep (inside) - Welded with Conduit KO's - 21.0 Cu. In.
  - 4" Sq. - Thru-the-wall Box - 1-1/2" deep (inside) - Drawn with Conduit KO's - 22.5 Cu. In.
  - 4" Square Bracketed Boxes - 1-1/2" deep - Welded with Conduit KO's - 21.0 Cu. In.
  - 4" Square - 1-1/2" deep - Welded with Armored Cable/metal Clad/flex Clamps - 21.0 Cu. In.
  - 4" Square - 1-1/2" deep - Welded with Nonmetallic Sheathed Cable Clamps - 21.0 Cu. In.
- 4" Square Extension Rings and 4" Square Plenum Boxes
  - 4" Square Extension Rings - 1-1/2" deep (inside) - Drawn with Conduit KO's - 22.5 Cu. In.
  - 4" Square Plenum Boxes & Cover - 1-1/2" & 2-1/8" deep (inside) - Drawn with Conduit KO's
  - 4" Square - 2-1/8" deep (inside) - Welded with Conduit KO's - 30.3 Cu. In.
  - 4" Square - 2-1/8" deep - Welded with Conduit KO's - 30.3 Cu. In.
  - 4" Square - 2-1/8" deep with Nonmetallic Sheathed Cable Clamps - 30.3 Cu. In.
  - 4" Square - 2-1/8" deep with Armored Cable/metal Clad/flex Clamps - 30.3 Cu. In.
- 3-3/4" Square Boxes and 4" Square Retro Ring
  - 3-3/4" Square, Large Capacity Boxes - 3-1/2" deep - Welded with Conduit KO's
  - 4" Square Retro-rings
- 4" Square Covers
  - 4" Square Covers
  - 4" Square Device and Tile Covers - Single Device
  - Swivel Fixture Covers

## PRODUCT LINE OVERVIEW: RACO

*Please request for specific products not cataloged.*

- 4" Square Covers and Partitions
  - 4" Square Combination Device and Tile Covers Two Device
  - Low Voltage Partitions - for 1-1/2" & 2-1/8" Deep
- 4" Square Exposed Work Covers
  - 4" Square Surface Covers - Raised 1/2"
- 4-11/16" Square Boxes
  - 4-11/16" Square Boxes - 1-1/2" deep - Drawn with Conduit KO's - 29.5 Cu. In.
  - 4-11/16" Square Boxes - 2-1/8" deep - Welded with Conduit KO's - 42.0 Cu. In.
  - 4-11/16" Square Boxes - 2-1/8" deep - Welded with Armored Cable/metal Clad/flex Clamps - 42.0 Cu. In.
- 4-11/16" Square Covers and Extensions
  - 4-11/16" Square Extension - 1-1/2" deep (inside) - Drawn with Conduit KO's - 29.5 Cu. In.
  - 4-11/16" Square Extension - 2-1/8" deep (inside) - Drawn with Conduit KO's - 43.0 Cu. In.
  - 4-11/16" Square Covers
  - 4-11/16" Square Fixture Combination Device and Tile Covers - Single Device
- 4-11/16" Square Covers
  - 4-11/16" Square Combination Device and Tile Covers - Two Device
  - 4-11/16" Square Surface Covers - Raised 1/2"
- Handy Boxes
  - 4" x 2" Handy Boxes - 1-1/2" deep (inside) - Welded with Conduit KO's - 11.5 Cu. In.
  - 4" x 2" Handy Boxes - 1-7/8" deep (inside) - Drawn with Conduit KO's - 13.0 Cu. In.
  - 3-3/4" x 1-9/16" Industrial Handy Box & Cover - 1-1/2" deep (inside) - Drawn with Conduit KO's - 7.3 Cu. In.
  - 4" x 2" Handy Boxes - 2-1/8" deep (inside) - Welded with Conduit KO's - 16.5 Cu. In.
- Handy Box Covers and Extensions
  - 4" x 2" Handy Box Covers - 2-5/16" Wide x 4-3/16" Length
  - 4" x 2" Handy Box Extension - 1-1/2" deep (inside) - Welded with Conduit KO's - 11.5 Cu. In.
  - 4" x 2" Handy Box Extension - 1-7/8" deep (inside) - Drawn with Conduit KO's - 13.0 Cu. In.
- Switch Boxes
  - 3-3/4" x 2" Switch Boxes - 1" deep - Nongangable - with Nonmetallic Sheathed Cable Clamps - 6.5 Cu. In.
  - 4" x 4" Switch Box - 1" deep - Nongangable - with Nonmetallic Sheathed Cable Clamps - 14.8 Cu. In.
  - 3" x 2" Switch Box - 1-1/2" deep - Gangable with Conduit KO's - 7.5 Cu. In.
  - 3" x 2" Switch Box - 1-1/2" deep - Nongangable with Nonmetallic Sheathed Cable Clamps - 7.5 Cu. In.
  - 3" x 2" Switch Box - 2" deep - Gangable with Conduit KO's - 10.0 Cu. In.
  - 3" x 2" Switch Box - 2" deep - Gangable with Nonmetallic Sheathed Cable Clamps - 10.0 Cu. In.
  - 3" x 2" Switch Box - 2" deep - Gangable with Armored Cable/metal Clad/flex Clamps - 10.0 Cu. In.
  - 3" x 2" Switch Box - 2-1/8" deep - Nongangable - "snap In Clip" "old Work" with Conduit KO's - 11.0 Cu. In.
  - 3" x 2" Switch Boxes - 2-1/4" deep - Gangable - Beveled Corners with Nonmetallic Sheathed Cable Clamps - 10.5 Cu. In.
  - 3" x 2" Switch Boxes - 2-1/2" deep - Gangable with Conduit KO's - 12.5 Cu. In.
  - 3" x 2" Switch Box - 2-1/2" deep - Nongangable with Conduit KO's - 12.5 Cu. In.
  - 3" x 2" Switch Boxes - 2-1/2" deep - Gangable with Nonmetallic Sheathed Cable Clamps - 12.5 Cu. In.
  - 3" x 2" Switch Boxes - 2-1/2" deep - Gangable with Armored Cable/metal Clad/flex Clamps - 12.5 Cu. In.
  - 3" x 2" Switch Box - 2-1/2" deep - Nongangable with Armored Cable/metal Clad/flex Clamps - 12.5 Cu. In.
  - 3" x 2-1/8" Switch Box - 2-27/32" deep - Nongangable with Armored Cable/metal Clad/flex Clamps - 15.8 Cu. In.
  - 3" x 2-1/8" Switch Box - 2-27/32" deep - Nongangable with Nonmetallic Sheathed Cable Clamps - 15.8 Cu. In.
  - 3" x 2" Switch Boxes - 2-3/4" deep - Gangable with Conduit KO's - 14.0 Cu. In.
  - 3" x 2" Switch Boxes - 2-3/4" deep - Gangable with Nonmetallic Sheathed Cable Clamps - 14.0 Cu. In.
  - 3" x 2" Switch Boxes - 2-3/4" deep - Gangable with Armored Cable/metal Clad/flex Clamps - 14.0 Cu. In.
  - 3" x 2" Switch Boxes - 3-1/2" deep - Gangable with Nonmetallic Sheathed Cable Clamps - 18.0 Cu. In.
  - 3" x 2" Switch Boxes - 3-1/2" deep - Gangable with Armored Cable/metal Clad/flex Clamps - 18.0 Cu. In.
  - 3" x 2" Switch Boxes - 3-1/2" deep - Gangable with Conduit KO's - 18.0 Cu. In.

## PRODUCT LINE OVERVIEW: RACO

*Please request for specific products not cataloged.*

- Switch Boxes and Wall Plates
  - 4" Square Two Device Switch Box - 2-1/8" deep - Drawn with Conduit KO's - 30.3 Cu. In.
  - 4" Square - Two-device Wall Plates
- Switch Boxes and Partitions
  - Multi-device Switch Boxes - 2-1/2" deep - Welded with Conduit KO's
- Gang Boxes
  - Gang Boxes - 1-5/8" & 2-1/2" deep - Welded with Conduit KO's
- Covers and Partitions
  - Flat, Blank Covers for Gang Boxes
  - Device Covers for Gang Boxes Raised 3/4"
  - Low Voltage Partition for Gang Boxes
- Steel Concrete Rings
  - Concrete Rings
  - Hung Ceiling Box - 3-1/2" Deep
  - Concrete Ring - Back Plates/covers and Adapter Ring
- Masonry Boxes and Partitions
  - Masonry Boxes - 2-1/2" deep - Nongangable with Conduit KO's
  - Masonry Boxes - 3-1/2" deep - Nongangable with Conduit KO's
  - Masonry Boxes - Gangable with Conduit KO's
  - Low Voltage Partition for Masonry Boxes
- Universal Protector Plates
  - Raised 3/4" for Device and Wire Protection
  - Flat for Wire Protection
  - Flat for Wire Protection (gangable)
  - Raised 3/4" for Control Device and Wire Protection
  - Flat for Low Voltage Wire Protection
- Box Support Products
  - Non-adjustable Box Mounting Brace for 4" and 4-11/16" Square Box
  - Adjustable Box Mounting Brace for 4" and 4-11/16" Square Box
  - Leg Extender
  - Two-point Box Mounting Brackets
  - Fixed Position Box Mounting Brackets
  - Box Mounting Bracket for 3" x 2" Switch Boxes
  - Low Voltage Mounting Bracket
  - Floor Mounted Box Support
- Accessories for Steel Boxes
  - Adjustable Bar Hangers
  - Box-Loc® Metal Stud Clip
  - Far Side Box Support
  - Switch Box Support "Old Work Saddle"
  - Grip-lok™ "old Work" Switch Box Support
  - Switch Box Accessories
  - Old Work Switch Box Clips
  - Add-a-depth Ring Extends Switch Box Set Too deep In Wall
  - Cable Protector
  - Grounding Pigtailed
  - Grounding Screws and Clips

## PRODUCT LINE OVERVIEW: RACO

*Please request for specific products not cataloged.*

- Non-metallic Cable Boxes
  - Single-gang with Captive Nails for Nonmetallic Sheathed Cable
  - Two-gang with Captive Nails for Wood Studs for Nonmetallic Sheathed Cable
  - Multi-gang with Captive Nails for Metal or Wood Studs for Nonmetallic Sheathed Cable
  - Single-gang with Brackets for Metal or Wood Studs for Nonmetallic Sheathed Cable
  - Old Work Boxes for Nonmetallic Sheathed Cable
  - 4" Square with Captive Nails for Metal\* or Wood Studs for Nonmetallic Sheathed Cable
  - 3-1/2" Round Ceiling with Captive Nails for Nonmetallic Sheathed Cable
  - 4" Round Ceiling with Captive Nails for Nonmetallic Sheathed Cable
  - Single-gang Shallow, Fast Wire
  - Vapor Barrier Switch Box - 2-1/4" W. x 3-3/4" H. x 2-3/4" D.
  - Vapor Barrier 2-gang Switch Box - 4-1/8" W. x 3-5/8" H. x 2-3/4" D.
  - Vapor Barrier 3-gang Switch Box - 5-7/8" W. x 3-5/8" H. x 2-3/4" D.
  - Vapor Barrier 4" Round Ceiling Box - 2-1/4" D.
  - Vapor Barrier 4" Round Ceiling Fan Box - 2-39/64" D.
- Non-metallic Ceiling Cable Boxes
  - 3-1/2" Round Ceiling Set-up for Spanning From Joist To Joist for Nonmetallic Sheathed Cable
  - 4" Round Ceiling Set-up for Spanning From Joist To Joist for Nonmetallic Sheathed Cable
  - 4" Round Ceiling Fan/fixture Box for Nonmetallic Sheathed Cable or Conduit
- ENT Non-metallic Boxes
  - Single-gang - Metal or Wood Studs for ENT
  - 4" Square - Metal or Wood Studs for ENT
  - 4" Round Ceiling Box for ENT
  - 4" Round Ceiling - Set-up for Spanning From Joist To Joist for ENT
- Non-metallic Box Accessories
  - 4-1/8" Square/ 4" Round - Covers/plaster Rings/partitions
  - Ent Conduit Strap
- Floor Boxes
  - for Concrete Pour - Nonmetallic
    - Round Floor Box and Accessories - Nonmetallic
  - Floor Box Kits, Covers and Flanges
    - Floor Box Cover Assembly Kits Nonmetallic
    - Replacement Covers and Carpet Flanges - Nonmetallic
  - Floor Box Covers and Flanges
    - Round Covers, Brass 3-7/8" Dia.
    - Floor Box Cover - Flange Kit
    - Carpet Flanges
    - Tile Flange
    - Flush Cap Rings
  - for Wood Floors
    - Single Receptacle Assembly
    - Duplex Receptacle Assembly
    - Floor Box
    - Receptacle-display Type for Use In Dry Locations Brass Plate and Threaded Plug
    - Floor Box/Plate Assembly/Gasket, Brass Plate and Threaded Plug Floor Box for Non-metallic Sheathed Cable or Conduit
  - for Concrete Pour - Round
    - Fully-adjustable Floor Box Stamped Steel
    - Fully-adjustable Floor Box Cast Iron
  - for Concrete Pour - Rectangular
    - Single-gang Floor Box - Fully-adjustable, Stamped Steel
    - Single-gang Floor Box - Fully-adjustable, Cast Iron
    - Two-gang Floor Box - Fully-adjustable, Cast Iron
    - Three-gang Floor Box - Fully-adjustable, Cast Iron

## PRODUCT LINE OVERVIEW: RACO

*Please request for specific products not cataloged.*

- Floor Box Covers and Flanges
  - Rectangular Floor Box Brass Covers
  - Rectangular Clear Polycarbonate and Brass Carpet Flanges
- Floor Box Accessories
  - Abandon Plugs - Brass
  - Replacement Cover Flange & Adjustable Collars
  - Low-profile Service Pedestal Housing - Single Service for Power or Voice/data
  - Face Plates
  - Voice/data Combinations
  - Power Combinations

### Commercial Fittings

- EMT Fittings
  - Set Screw Connectors - Steel
  - Set Screw Couplings - Steel
  - Compression Connectors - Steel
  - Compression Couplings - Steel
  - Compression Fittings - Uninsulated Connectors, Raintight, Steel
  - Compression Fittings - Insulated Connectors, Raintight, Steel
  - Compression Fittings - Couplings, Raintight, Steel
  - Indenter Connectors, Insulated Throat Connectors Steel
  - Indenter Connectors, Uninsulated Connectors - Steel
  - Indenter Couplings - Steel
  - Indenter Tools Forged - Steel
  - Set Screw Connectors - Die Cast Zinc
  - Set Screw Couplings - Die Cast Zinc
  - 90 Degree Handy Ells - Die Cast Zinc Couplings
  - 90 Degree Handy Ells - Die Cast Zinc Connectors
  - Compression Connectors - Die Cast Zinc
  - Compression Couplings - Die Cast Zinc
  - Compression Offset Connectors - Die Cast Zinc
  - 90 Degree Short Angle Connectors - Malleable Iron
  - Two-piece Connectors - Die Cast Zinc
  - EMT - RIGID Couplings Threaded/compression - Steel
  - EMT - RIGID Couplings Set Screw - Steel
  - EMT - Flex Couplings Squeeze/compression - Malleable Iron
  - EMT - Flex Couplings Screw-in/compression - Die Cast Zinc
  - Clampbacks - Malleable Iron
  - One Hole Push-on Straps Stamped - Steel
  - Two Hole Straps Stamped - Steel
  - One Hole Straps - Malleable Iron
  - Nail-up Straps Stamped - Steel

## PRODUCT LINE OVERVIEW: RACO

*Please request for specific products not cataloged.*

- RIGID and IMC Fittings
  - Set Screw Connectors - Steel
  - Set Screw Couplings - Steel
  - Uninsulated Compression Connectors - Steel/malleable Iron
  - Compression Couplings - Steel/malleable Iron
  - 90 Degree Short Elbows - Malleable Iron
  - 90 Degree Handy - Ells Threaded Connectors - Die Cast Zinc
  - Hinged Couplings - Malleable Iron
  - Three-piece Couplings - Steel
  - RIGID - EMT Couplings Threaded/compression - Steel
  - RIGID - EMT Couplings Set Screw - Steel
  - RIGID - Flex Couplings - Malleable Iron Squeeze/threaded
  - Threaded Hubs Insulated Throat - Die Cast Zinc
  - Reducing Bushings - Steel
  - Reducing Bushings - Iron
  - Locknuts - Steel
  - Non - UL Locknuts - Steel
  - Bonding Locknuts - Steel
  - Sealing Locknuts - Steel
  - Bushings - Malleable Iron
  - Insulating Bushings - Polypropylene
  - Insulated Bushings - Malleable Iron
  - Insulated Grounding Bushings - Lay-in Lug - Malleable Iron
  - Insulated Grounding Bushings - Feed-thru Lug - Malleable Iron
  - 150°C Insulated Grounding Bushings - Lay-in Lug - Malleable Iron
  - One Hole Push-on Straps - Stamped Steel
  - One Hole Straps - Malleable Iron
  - Two Hole Straps - Stamped Steel
  - Clamp Backs - Malleable Iron
- Liquidtight Conduit and Cord Connectors
  - Straight Connectors - Insulated and Uninsulated - Steel/malleable Iron
  - 45 Degree Connectors - Insulated and Uninsulated - Malleable Iron
  - 90 Degree Connectors - Insulated and Uninsulated - Malleable Iron
  - Straight Connectors - Insulated with Ground Lug Steel/malleable Iron
  - 45 Degree Connectors - Insulated with Ground Lug Steel/malleable Iron
  - 90 Degree Connectors - Insulated with Ground Lug Steel/malleable Iron
  - Sealing Washers
  - Straight Connectors - Nylon - for Type B Conduit
  - Swivel Lok® Multi - Position Connectors - Nylon for Type B Conduit
  - Straight Connectors - Nylon - for Extra Flexible Tubing
  - Swivel Lok® Multi - Position Connectors - Nylon for Extra Flexible Tubing
  - Straight Connectors - Steel - Malleable Iron
  - 90 Degree Connectors - Malleable Iron
  - Straight Connectors - Nylon
  - Straight Connectors - Aluminum
  - Straight - Squeeze Connectors - Insulated - Malleable Iron
  - Straight - Squeeze Connectors - Uninsulated - Malleable Iron
  - 90 Degree Squeeze Connectors - Insulated and Uninsulated - Malleable Iron
  - Straight Squeeze Connectors - Uninsulated - Die Cast Zinc
  - 45 Degree Squeeze Connectors - Uninsulated - Malleable Iron - Die Cast Zinc
  - 90 Degree Squeeze Connectors - Uninsulated - Die Cast Zinc
  - Connectors - Screw-in - Uninsulated - Die Cast Zinc
  - Couplings - Screw-in - Die Cast Zinc
  - Set Screw Connector - Die Cast Zinc
  - Clamp Type Connector - Die Cast Zinc
  - Duplex Connector - Die Cast Zinc

## PRODUCT LINE OVERVIEW: RACO

*Please request for specific products not cataloged.*

- Flexible Metal Conduit Fittings
  - Flex - RIGID Combination Couplings - Malleable Iron
  - Flex - EMT Combination Couplings Squeeze - Malleable Iron
  - Flex - EMT Combination Couplings Screw-in/compression - Die Cast Zinc
  - Nail-up Straps - Steel
- Armored Cable Connectors
  - Set Screw Connectors - Die Cast Zinc
  - Clamp Type Connectors - Die Cast Zinc
  - Squeeze Type Connectors - Uninsulated - Die Cast Zinc
  - 90 Degree Squeeze Connectors - Insulated Throat - Malleable Iron
  - 90 Degree Squeeze Connectors - Uninsulated - Malleable Iron
  - 90 Degree Squeeze Connectors - Uninsulated - Die Cast Zinc
  - Duplex Connectors - Die Cast Zinc
- Metal Cable Clad Connectors
  - Redi-Loc® Connectors - Connectors for MCI, AC and HCF Cables Steel
  - Connectors - for MCI, AC and HCF Cables - Steel
  - Redi-Loc® Duplex Connector - for MCI, AC and HCF Cables - Steel
  - Clamp Type Connectors - Die Cast Zinc
  - Duplex Connectors - Die Cast Zinc
- Non-metallic Sheated Cable Connectors
  - The Insider® for Use with Nonmetallic Sheathed Cable
  - Clamp Type - Die Cast Zinc
  - Cable Protector - Steel
- Service Entrance Fittings
  - Entrance Heads - Clamp Type for RIGID/IMC or EMT - Aluminum
  - Entrance Heads - Clamp Type for SEU Cable - Aluminum
  - Underground Feeder (UF) Connectors - Liquid Tight - Aluminum
  - UF Connectors - Liquid Tight - Nylon
  - UF Connectors - Liquid Tight - Steel
  - Service Entrance Cable Connectors - Liquid Tight - Die Cast Zinc
  - Connectors for Oval Cable - Die Cast Zinc
  - Connectors for Oval or Round Cable - Die Cast Zinc
  - Straps - Steel
- Miscellaneous Fittings
  - Ground Clamps for Bare Ground Wires - Bronze Alloy
  - Ground Clamps for Bare Armored Ground Wire - Bronze Alloy
  - Ground Clamps for 1/2" RIGID Conduit - Bronze Alloy
  - Ground Clamps for 3/4" RIGID Conduit - Bronze Alloy
  - Knockout Seals One-piece - Steel
  - Knockout Seals Two-piece - Steel
  - Beam Clamps - Steel - Malleable Iron
  - Cable Protector - Steel
  - Reducing Washers - Steel
  - 3/4" Offset Nipples - Die Cast Zinc
  - Uninsulated Nipples - Die Cast Zinc
  - Conduit Hangers with Bolts - Steel

## PRODUCT LINE OVERVIEW: RACO

*Please request for specific products not cataloged.*

### Bell® Weatherproof Boxes, Covers, and Lighting

- Single Gang Boxes, Die Cast Aluminum
  - 2" Deep, with Lugs - Three Threaded Outlets - 4-1/2" x 2-3/4"
  - 2" Deep, with Lugs - Four Threaded Outlets - 4-1/2" x 2-3/4"
  - 2" Deep, with Lugs - Five Threaded Outlets - 4-1/2" x 2-3/4"
  - 2-5/8" Deep, with Lugs - Three Threaded Outlets - 4-1/2" x 2-3/4"
- Single Gang Extensions and Adapters, Die Cast Aluminum
  - Single-gang Extension - 4-1/2" x 2-3/4" x 1" Deep
  - Single-gang - Extension Adapters - 5-1/4" x 3-1/2" x 1-1/2" deep - Two Threaded Outlets
  - Single-gang - Extension Adapters - 5-1/4" x 3-1/2" x 1-1/2" deep - Six Threaded Outlets
- Single Gang Extension Adapters
  - Swing-arm - Extension Adapters - 5-1/4" x 3-1/2" x 1-1/2" deep - Two Threaded Outlets
  - Swing-arm - Extension Adapters - 5-1/4" x 3-1/2" x 1-1/2" deep - Six Threaded Outlets
- Two Gang Boxes, Die Cast Aluminum
  - 2" Deep, with Lugs - Three Threaded Outlets - 4-1/2" x 4-1/2"
  - 2" Deep, with Lugs - Four Threaded Outlets - 4-1/2" x 4-1/2"
  - 2" Deep, with Lugs - Five Threaded Outlets - 4-1/2" x 4-1/2"
  - 2" Deep, with Lugs - Seven Threaded Outlets - 4-1/2" x 4-1/2"
  - 2-5/8" Deep, with Lugs - Five Threaded Outlets - 4-1/2" x 4-1/2"
- Multi Gang Boxes and Extensions, Die Cast Aluminum
  - Two-gang Extension - 4-21/32" x 4-21/32" x 1-1/32" Deep
  - Three-gang Box - 2-5/8" Deep, with Lugs - Seven Threaded Outlets - 4-1/2" x 6-3/8"
- Round Splice Boxes and Extension Adapters, Die Cast Aluminum
  - 4" Round Splice Box - Five Threaded Outlets - 1-1/2" Deep
  - 4" Round Extension Adapter - Four Threaded Outlets - 1-1/2" Deep
  - 4" Round Cover
- Specialty Boxes and Covers
  - Weatherproof Housing - 2" Deep, Telephone Use
  - Mini Snap Cover and Receptacle - 3" x 2" x 1-1/8" Deep
- Rayntite SRT Single Gang Weatherproof-While-In-Use Covers, Polycarbonate
  - Single-gang - Standard Depth
  - Single-gang - Deep
- Rayntite SRT Two Gang Weatherproof-While-In-Use Covers, Polycarbonate
  - Two-gang - Standard Depth
  - Two-gang - Deep
- Rayntite Single Gang Device Covers, Die Cast Aluminum
  - Horizontal Mount
  - Vertical Mount - Padlockable
- Rayntite Two Gang Device Covers, Die Cast Aluminum
  - Vertical Mount - Padlockable
- Single Gang Device Covers
  - Horizontal - Device Mount
  - Horizontal - Box Mount
  - Vertical - Device Mount
  - Vertical - Box Mount
- Device Kits
  - Device Kits - Horizontal Mount
- Single Gang Blank Covers and Mini-plate
  - Blank Covers - Device Mount
  - Blank Covers - Box Mount
  - Mini-plate
- Two Gang Device Covers
  - Device Mount
  - Box Mount



## PRODUCT LINE OVERVIEW: RACO

*Please request for specific products not cataloged.*

- Two and Three Gang Device Covers
  - Three-gang Device Cover - Box Mount
  - Three-gang Blank Cover - Box Mount
  - Two-gang Blank Cover - Device Mount
- Single Gang Lever Switch Covers
  - Single-gang Switch Covers - Vertical - Device Mounted
- Two Gang Lever Switch Covers
  - Two-gang Switch Covers - Device Mounted
- Three Gang Lever Switch Cover and Replacement Switch
  - Three-gang Switch Cover - Device Mount
  - Lever Switch Cover - Accessories
- Cluster Covers, Die Cast
  - Rectangular Cluster - Covers
  - 4" Round Cluster - Covers
- Lamp Holders, Die Cast
  - Lampholders and Accessories for 75-150 Watt Par 38 Lamps
  - Architectural Lampholders for 75-150 Watt Par 38 Lamps
  - Portable Lampholder Assembly
  - Bullet Lampholders - for 75-150 Watt Par 38 and R-40 Lamps
- Lamp Holder Combinations
  - Rectangular Cover - Combinations for 75-150 Watt Par 38 Lamps
  - 4" Round Cover - Combinations for 75-150 Watt Par 38 Lamps
- Light Kits
  - Rectangular Light Kits for 75-150 Watt Par 38 Lamps
  - 4" Round Light Kits for 75-150 Watt Par 38 Lamps
- Garden Lights, Die Cast Zinc
  - Incandescent Type Threaded 1/2" Npt - 18" Leads
- Accessories
  - Replacement Globes for Garden Lights
  - Photocell Nite Switch Automatic Controls - 2000 Watts
  - Closure Plugs
  - 5" Round Closure Plates - Steel
  - Box Mounting Lugs & Screws
  - Rectangular Box/cover Gaskets
- Specialty Switches
  - Pull-chain Switches - for Lamps and Ceiling Fixtures
  - Variable-speed Pull-chain Switches - for Ceiling Fans
  - All-angle Pull-chain - for Ceiling Fixtures
  - Snap-in Rocker Switches - for Range Hood and Appliances
  - Rotary Canopy Switch - for Lamps and Appliances
  - Maintained Contact Push-button Canopy Switch - for Lamps and Appliances
  - Maintained Contact Slide Switch - for Lamps and Appliances
  - Contact Push-button Switches - for Bells and Buzzers
  - Push Button Switch - for Lamps and Appliances
  - Extra Heavy-duty Bat Handle Toggle Switch
  - Heavy-duty Bat Handle Toggle Switch
  - Extra Heavy-duty Bat Handle Toggle Switch
  - Medium-duty Bat Handle Toggle Switch
  - Medium-duty Bat Handle Toggle Switch with Wire Leads
  - Medium-duty Ball Handle Toggle Switch with Wire Leads
  - Medium-duty Ball Toggle
  - Toggle Boot
  - Specialty Switch Assortment