

### World Travelplug Adaptors

#### GENERAL CONSIDERATIONS






If you are going to use electrical appliances in another country, you need to know what type of electrical voltage is used in the country you're traveling to and the type(s) of plugs and outlets used there. To learn this, consult the Table of Electrical Systems [Doc #0505](#) used worldwide.











To find further plug adaptors available consult [Doc #4500](#).







If the voltage is the same, or if you're using a universal power supply, all you may need is a plug adapter. Converters are available to change line voltage from one amount to another. However, there are different types of converters for different types of appliances. Small electronics, razors and non-heating appliances can operate with a 50 - watt converter. Heating appliances such as hair dryers, irons, coffee makers and other high-power electrical appliances need a 1600-watt converter. You can also purchase combination converters for both types. Check the label on your electrical appliance to find its wattage. These generally work for those from the US traveling to destinations that use higher voltages to „step down“ from 230 Volts to 120 Volts.

On the other hand, those who travel from a good portion of the world to the US will likely need a transformer to convert the lower line voltage into the higher voltage required by their appliances. Many of these devices (sometimes of higher quality and thus higher-priced) also function as step-down converters.

Given the complexities of safely using your electrical appliances overseas, you may want to consider some alternatives. If you plan on staying in one country for awhile, you might want to buy a hair dryer or electric razor there. Battery operated appliances are another option if you don't mind replacing the batteries.

Document	Catalog No. / Katalog-Nr.	Description / Beschreibung	Weight/ea	VPE/Pack	U/M	EDP-No.
<b>2213 4500</b>	<b>100 K - Series Travel Adaptor Plugs - USA/Canada to Germany</b>					
	<b>100 K</b>	Travel Adaptor Plug, 2-Poles + Earth, 125V USA : SCHUKO, Grey	51g	200/20	ea	<b>107501</b>
	<b>110 K</b>	Travel Adaptor Plug, 2-Poles + Earth, 250V USA : SCHUKO, Grey	51g	200/20	ea	<b>114111</b>
	<b>Adaptors does not change voltage !</b>		Travel adaptor plug with earthing contact, from American or Canadian socket - Series 100 K - NEMA 5-15R, 15A/125V (suitable for USA socket NEMA 5-20R also) - Series 110 K - NEMA 6-15R, 15A/250V (suitable for USA socket NEMA 6-20R also) with earthing contact to German socket outlet with earthing contact, thermosetting plastic typ 31/131.5, grey. Further items and informations can be found in documents indicated.			
<b>2290 2306</b>	<b>114 - Series and 730110 Travel Adaptor Plugs - Germany, France/Belgium to USA/Canada</b>					
	<b>114 BK</b>	Travel Adaptor, SCHUKO 2P+E Pins ø 4.8 mm : USA 125V, Black	42g	300/30	ea	<b>118702</b>
	<b>114 WH</b>	Travel Adaptor, SCHUKO 2P+E Pins ø 4.8 mm : USA 125V, White	42g	300/30	ea	<b>118703</b>
	<b>730110</b>	Travel Adaptor, SCHUKO 2P+E Pins ø 4.8 mm : USA 125V, White	26g	10	ea	<b>117756</b>
	<b>Adaptors does not change voltage !</b>		Travel adaptor plugs with earthing contact, German SCHUKO/France/Belgium/South Europe socket etc. with earthing contact (2 Pins ø 4.8 mm) to socket outlet NEMA 5-15R, 15A/125V (suitable for USA/Canada/Japan etc.) with earthing contact, thermoplastic. Further items and informations can be found in documents indicated, 114 series in <a href="#">doc #2290</a> and cat. #730110 in <a href="#">doc #2306</a> (if current stock is depleted cat. #730110 will be replaced by cat. #114 WH).			
<b>2290 1459 2230</b>	<b>115 - Series and 06532 Travel Adaptor Plugs - Germany, France/Belgium to USA/Canada</b>					
	<b>115 BK</b>	Travel Adaptor, SCHUKO 2P+E Pins ø 4.8 mm : USA 250V, Black	42g	300/30	ea	<b>118704</b>
	<b>115 WH</b>	Travel Adaptor, SCHUKO 2P+E Pins ø 4.8 mm : USA 250V, White	42g	300/30	ea	<b>118705</b>
	<b>06532</b> with shrouding collar	Travel Adaptor, SCHUKO 2P+E Pins ø 4.8 mm : USA 250V, White	30g	10	ea	<b>100005</b>
	<b>Adaptors does not change voltage !</b>		Travel adaptor plugs with earthing contact, German SCHUKO/France/Belgium/South Europe socket etc. with earthing contact (2 Pins ø 4.8 mm) to socket outlet NEMA 6-15R, 15A/250V (suitable for USA/Canada/Japan etc.) with earthing contact, thermoplastic. Further items and informations can be found in documents indicated, 115 series in <a href="#">doc #2290</a> and cat. #06532 in <a href="#">doc #1459</a> (if current stock is depleted 06532 will be replaced by 109 WH - see <a href="#">doc #2230</a> ).			
<b>2159 2160 4500</b>	<b>148 and 149 - Series Travel Adaptor Plugs - United Kingdom to Germany</b>					
	<b>148 BK</b>	Travel Adaptor Plug, 2-Poles + Earth, UK 13 Amp : SCHUKO, Black	52g	250/25	ea	<b>110376</b>
	<b>148 WH</b>	Travel Adaptor Plug, 2-Poles + Earth, UK 13 Amp : SCHUKO, White	52g	250/25	ea	<b>110377</b>
	<b>149 WH</b>	Travel Adaptor Plug, 2-Poles only, UK 13 Amp : SCHUKO, White	38g	500/25	ea	<b>110379</b>
	<b>Adaptors does not change voltage !</b>		Travel adaptor plug with or without earthing contact, from British 13 Amp. socket outlet to German socket with or without earthing contact, with 13 Amp. fuse, thermoplastic, black or white (Cat #149 BK - black version - available on request). Further items and informations can be found in documents indicated (148 - series in <a href="#">doc #2159</a> , 149 - series in <a href="#">doc #2160</a> ).			
<b>2156 4500 1945</b>	<b>146 - Series and TCN 01 Travel Adaptor Plugs - Germany to United Kingdom</b>					
	<b>146 BK</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : UK, 13 Amp, Black	44g	300/30	ea	<b>109565</b>
	<b>146 WH</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : UK, 13 Amp, White	44g	300/30	ea	<b>109564</b>
	<b>Adaptors does not change voltage !</b>		Travel adaptor plug with earthing contact, from German socket outlet with earthing contact to British socket outlet 13 Amp., thermoplastic, black or white.			
	<b>TCN 01</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : UK, 7.5 Amp, White	31g	10	ea	<b>105003</b>
	<b>Adaptors does not change voltage !</b>		Please look document number <b>1945</b> to get more informations on <b>TCN 01</b> travel adaptor, (if current stock is depleted, item will be discontinued). Further items and informations can be found in documents indicated.			

Document	Catalog No. / Katalog-Nr.	Description / Beschreibung	Weight/ea	VPE/Pack	U/M	EDP-No.
<b>2158</b>	<b>4500</b>	<b>140 - Series Travel Adaptor Plugs - Germany to Belgium/France</b>				
	<b>140 BK</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : B/F, Black	38g	250/25	ea	<b>109569</b>
	<b>140 WH</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : B/F, White	38g	250/25	ea	<b>109568</b>
		Travel adaptor plug with earthing contact, from German socket outlet with earthing contact to Belgium/French socket with earthing pin, thermoplastic, black or white.				
		Further items and informations can be found in documents indicated.				
<b>2152</b>	<b>4500</b>	<b>141 - Series Travel Adaptor Plugs - Belgium/France to Germany</b>				
	<b>141 BK</b>	Travel Adaptor Plug, 2-Poles + Earth, B/F : SCHUKO, Black	34g	250/25	ea	<b>109559</b>
	<b>141 WH</b>	Travel Adaptor Plug, 2-Poles + Earth, B/F : SCHUKO, White	34g	250/25	ea	<b>109558</b>
		Travel adaptor plug with earthing contact, from Belgium/French socket with earthing pin to German socket outlet with earthing contact, thermoplastic, black or white.				
		Further items and informations can be found in documents indicated.				
<b>2153</b>	<b>2151 4500</b>	<b>142 and 157 - Series Travel Adaptor Plugs - Switzerland to Germany</b>				
	<b>142 BK</b>	Travel Adaptor Plug, 2-Poles + Earth, Switzerland : SCHUKO, Black	69g	300/15	ea	<b>109557</b>
	<b>142 WH</b>	Travel Adaptor Plug, 2-Poles + Earth, Switzerland : SCHUKO, White	69g	300/15	ea	<b>108927</b>
	<b>157 BK</b>	Travel Adaptor Plug, 2-P + E, Round, Switzerland : SCHUKO, Black	36g	300/30	ea	<b>118508</b>
	<b>157 WH</b>	Travel Adaptor Plug, 2-P + E, Round, Switzerland : SCHUKO, White	36g	300/30	ea	<b>118509</b>
		Travel adaptor plug with earthing contact, from Switzerland socket, typ 13, to German socket outlet with earthing contact, with fuse holder for fine-wire fuse diameter 5x20mm, thermoplastic, black or white. Further items and informations can be found in documents indicated.				
<b>2155</b>	<b>1543 4500</b>	<b>145 - Series Travel Adaptor Plugs - Germany to Switzerland</b>				
	<b>145 BK</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : Switzerland, Black	29g	500/50	ea	<b>109563</b>
	<b>145 WH</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : Switzerland, White	29g	500/50	ea	<b>108928</b>
	<b>7340 W</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : Switzerland, White	29g	10	ea	<b>106056</b>
		Travel adaptor plug with earthing contact, from German socket outlet with earthing contact to Switzerland socket typ 13 SEV, thermoplastic, black or white.				
		Further items and informations can be found in documents indicated.				
<b>2229</b>	<b>2427</b>	<b>D121E - Series Travel Adaptor Plugs - Germany, Europe to Australia / New Zealand</b>				
	<b>D121E</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : Australia, White	34g	120/5	ea	<b>118106</b>
	<b>D121E</b> EAEU	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : Australia, Light Gray	45g	120/5	ea	<b>100083</b>
		Travel adaptor plug with earthing contact, from German SCHUKO / France (with earth pin) and parts of Europe socket outlet with earthing contact (2 Pins ø 4 mm) to Australian / New Zealand socket (250V 10A Configuration), thermoplastic. (D121E EAEU will be discontinued if current stock is depleted). <b>This adaptor plugs replaces former type FIT 21.</b>				
		Further informations can be found in documents indicated.				
<b>2428</b>		<b>D121A - Series Travel Adaptor Plugs - USA, Canada to Australia / New Zealand</b>				
	<b>D121A</b> EAUS	Travel Adaptor Plug, 2-Poles + Earth, USA : Australia, Light Gray	46g	120/5	ea	<b>100085</b>
		Travel adaptor plug with earthing contact, from USA / Canada (NEMA 5-15) socket outlet with earthing contact to Australian / New Zealand socket (250V 10A Configuration), thermoplastic, light gray.				
		Further informations can be found in documents indicated.				
<b>2429</b>		<b>D121UK - Series Travel Adaptor Plugs - United Kingdom to Australia / New Zealand</b>				
	<b>D121UK</b> EAUk	Travel Adaptor Plug, 2-Poles + Earth, UK : Australia, Light Gray	64g	120/5	ea	<b>100084</b>
		Travel adaptor plug with earthing contact, from United Kingdom (UK 1363, 13 Amp) socket outlet with earthing contact to Australian / New Zealand socket (250V 10A Configuration), thermoplastic, light gray.				
		Further informations can be found in documents indicated.				
<b>2430</b>		<b>145.6x0 - Series Travel Adaptor Plugs - Italy 10 Amp. and 16 Amp. to Germany</b>				
	<b>145.640</b> Italy 10A	Travel Adaptor, Italy 2P+E Pins ø 4.0 mm : German SCHUKO, White	35g	500/50	ea	<b>108943</b>
	<b>145.650</b> Italy 16A	Travel Adaptor, Italy 2P+E Pins ø 5.0 mm : German SCHUKO, White	37g	500/50	ea	<b>108946</b>
		Travel adaptor plug with earthing contact, Italy 3 Pins ø 4.0 mm (10 A) or ø 5.0 mm (16 A) to German SCHUKO socket with earthing contact (Items replaces former versions <b>7380 W</b> and <b>7381 W</b> ), thermoplastic, white (black versions available on request).				
		Further items and informations can be found in documents indicated.				
<b>2431</b>		<b>146.361 - Series Travel Adaptor Plugs - Germany/France/Belgium to Italy 10 Amp. and 16 Amp.</b>				
	<b>146.361</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : Italy 10/16A, White	38g	500/50	ea	<b>108948</b>
	<b>146.361/N</b>	Travel Adaptor Plug, 2-Poles + Earth, SCHUKO : Italy 10/16A, Black	38g	500/50	ea	<b>108949</b>
		Travel adaptor plug 2-pins ø 4.8 mm with double earthing contacts, German "SCHUKO" or France/Belgium system with reverse earthing pin to Italian 10 Amp. or 16 Amp. (Dual-Use) socket with earthing contact, thermoplastic, white or black.				
		Further items and informations can be found in documents indicated.				

Document	Catalog No. / Katalog-Nr.	Description / Beschreibung	Weight/ea	VPE/Pack	U/M	EDP-No.
<b>1458</b>	<b>FIT 40</b>	<b>FIT 40 - Series Travel Adaptor Plugs - United Kingdom etc. to USA/Canada/Japan etc.</b> Travel Adaptor, UK 13 Amp 2P+Earth : USA/Canada/Japan, White	41g	10	ea	<b>102724</b>
	FIT 40	Travel adaptor plug with earthing contact, United Kingdom 13 Amps. (BS 1363) etc. 2 Pins rectangular with earthing contact to USA/Canada/Japan etc. socket with earthing contact, thermoplastic, white. If current stock is depleted item will be discontinued.				
		Further items and informations can be found in documents indicated.				
<b>2163 4500</b>	<b>686 and 695 - Series Travel Adaptor Plugs - for Export use only.</b>					
	<b>686 BK</b> <b>686 WH</b> <b>695 BK</b> <b>695 WH</b>	Travel Adaptor Plug, 2 Pins ø 4 mm : Socket USA/Canada, Black Travel Adaptor Plug, 2 Pins ø 4 mm : Socket USA/Canada, White Travel Adaptor Plug, 2 Flat Pins USA/Canada : Socket ø 4 mm, Black Travel Adaptor Plug, 2 Flat Pins USA/Canada : Socket ø 4 mm, White	12g 12g 9g 9g	100 100 100 100	ea	<b>112727</b> <b>112708</b> <b>112720</b> <b>112721</b>
	<b>Adaptors does not change voltage !</b>	- Series 686 - Travel adaptor plug from ø 4 mm round pins to American flat pin socket, - Series 695 - Travel adaptor plug from American flat pins to ø 4 mm socket, thermoplastic, black or white, <b>for Export use only.</b>				
		Further items and informations can be found in documents indicated.				
<b>2291 4500</b>	<b>105 - Series 2-Pins Travel Adaptor Plugs - United Kingdom to Universal Contact - Export use only.</b>					
	<b>105 WH</b>	Travel Adaptor Plug, 2 Pins ø 5 mm UK : UNIVERSAL, White	24g	100	ea	<b>114115</b>
		Travel adaptor plug „England“, from 5 mm round pin to universal contact, without shrouding collar, thermosetting plastic type 31/131.5, white (black version available on request).				
		<b>For Export use only.</b>				
		Further items and informations can be found in documents indicated.				
<b>2397</b>	<b>Grounding Adapter, Flat Blade, 3-Wire to 2-Wire</b>					
	<b>88100011</b>	Grounding Adapter, Flat Blade, 3-Wire to 2-Wire, Black, with Lead Wire approx. 112mm long, Japanese DENTORI Approval	28g	100/10	ea	<b>116567</b>
		Further informations can be found in document indicated.				
<b>2270 9504 9503</b>	<b>Multi Travel Adaptor Series - Universal - International Use</b>					
	<b>1722.0501.2</b> <b>1722.0101.8</b> <b>1722.1301.7 +USA</b>	Multiadaptor Travel Plug „Travel Star“ for International Use, Black Multiadaptor Travel Plug „Travel Star“ for International Use, White Multiadaptor Travel Plug „Travel Star“ for International Use, White	96g 96g 96g	100/5 100/5 100/5	ea	<b>109139</b> <b>109140</b> <b>114893</b>
		“Travel-Star“ International Adaptor, black or white, 16A/250V, Standard Version, for use with Euro-plugs and 2-pin Class II plugs, Approvals: VDE / TÜV / GS / SEV / SEMKO / ECU, supplied with usefull travel pouch. (individual printing for advertising purposes on request).				
	<b>TRA 4X</b>	Multi Travel Adaptor for International Use, White (Please look <a href="#">document number 9503</a> to get more informations on <b>TRA</b> multi travel adaptors)	126g	10	ea	<b>104038</b>
		Further items and informations can be found in documents indicated.				
<b>2263 9008</b>	<b>Multi Nation Travel Voltage Converter Series - Universal</b>					
	<b>USA200</b>	Multi Nation Travel Voltage Converter for International Use, White	203g	50/10	ea	<b>115475</b>
		Multi nation travel voltage converter plug adaptor for international use, converts voltage from 230V AC to 110V AC (with voltage converter disconnecting switch) and four different international plug configurations to 2 poles Europe/USA universal socket. Thermoplastic, white.				
		<b>Used for appliances from 50 Watts to 1600 Watts.</b>				
		Further items and informations can be found in documents indicated.				
		Please look <a href="#">document number 9008</a> for instruction sheet in German language.				
<b>2327 9009</b>	<b>Travel Adaptor Voltage Converter Series - 110/120 V AC to 220/240 V AC - 50/60 Hz - or Reverse</b>					
	<b>MW50 F</b> <b>98950</b>	Travel Converter, 50W max, 110V AC to 220V AC, USA : Europe Travel Converter, 55W max, 220V AC to 110V AC, Europe : USA	296g 338g	50 12	ea	<b>115476</b> <b>118375</b>
		Travel voltage converters, 2 Poles without earthing contact, converts voltage from - <b>MW50 F</b> - 110/120V AC to 220/240V AC - 50W - from USA/Canada/Japan etc. to Europe - <b>98950</b> - 220/240V AC to 110/120V AC - 55W - from Europe to USA/Canada/Japan etc.				
		Further informations can be found in documents indicated. Informations for Catalog No. 98950 available on request.				
		Please look <a href="#">document number 9009</a> for instruction sheet in German language.				
<b>2235</b>	<b>Universal Battery Charger</b>					
	<b>CHM4FC</b>	Universal Battery Charger, 120V AC, for Size AA, AAA, C, D and 9 Volt Batteries, UL listed. (Batteries NOT included).	943g	10	ea	<b>116646</b>
		Specially designed to charge NiMH and NiCd rechargeable batteries.				
		Battery Charger for AA, AAA, C, D and 9V Batteries. Quickly charges Nickel-Metal Hydride (NiMH) and Nickel-Cadmium (NiCd) rechargeable batteries. Battery type selector for safe charging and maximum battery life. Automatic charging current control for different battery sizes. Trickle charge keeps batteries topped off. Reverse polarity safety protection. LED indicators show charge status.				
		Further informations can be found in documents indicated.				





### Molded Industrial Adaptor Plugs



#### GENERAL CONSIDERATIONS



If you are going to export electrical devices in another country, you need to know what type of electrical voltage is used in the country you're exporting to and the type(s) of plugs and outlets used there. To learn this, consult the Table of Electrical Systems **Doc #0505** used worldwide.

To find further YL-Adaptors available consult **Doc #9007**.

Document	Catalog No. / Katalog-Nr.	Description / Beschreibung	Weight/ea	VPE/Pack	U/M	EDP-No.
----------	---------------------------	----------------------------	-----------	----------	-----	---------

<b>9007</b>	<b>Molded Industrial Adaptor Plugs - USA/Canada to Germany and Reverse</b>					
YL-2215	Industrial Adaptor, 2-Poles + Earth, SCHUKO : USA 125V, Black	95g	500	ea	<b>118689</b>	
	Industrial adaptor plug with earthing contact, from European Schuko socket to American or Canadian socket outlet NEMA 5-15R, 15A/125V (suitable for NEMA 1-15P plugs also) with earthing contact, molded PVC, black.					
	<b>Adaptors does not change voltage !</b>	Further items and informations are available on request. Consult <b>Doc #9007</b> for further YL-Adaptors available.				
YL-1223	Industrial Adaptor, 2-Poles + Earth, USA 125V : SCHUKO, Black	102g	500	ea	<b>118682</b>	
	Industrial adaptor plug with earthing contact, from American or Canadian receptacle NEMA 5-15R, 15A/125V with earthing contact to European Schuko socket outlet, molded PVC, black.					
	Further items and informations are available on request. Consult <b>Doc #9007</b> for further YL-Adaptors available.					

<b>9007</b>	<b>Molded Industrial Adaptor Plugs - China/Australia/New Zealand 10 Amp. to Germany and Reverse</b>					
YL-2235	Industrial Adaptor, 2-Poles + Earth, SCHUKO : Australia 10A, Black	108g	500	ea	<b>118681</b>	
	Industrial adaptor plug with earthing contact, from European Schuko socket to Chinese, Australian or New Zealand 10A socket outlet with earthing contact, molded PVC, black.					
	Further items and informations are available on request. Consult <b>Doc #9007</b> for further YL-Adaptors available.					
YL-0323	Industrial Adaptor, 2-Poles + Earth, China 10A : SCHUKO, Black	106g	500	ea	<b>118680</b>	
	Industrial adaptor plug with earthing contact, from Chinese, Australian or New Zealand 10A receptacle with earthing contact to European Schuko socket outlet, molded PVC, black.					
	Further items and informations are available on request. Consult <b>Doc #9007</b> for further YL-Adaptors available.					

<b>2231</b>	<b>9007</b>	<b>Molded Industrial Adaptor Plugs - European 3-Pin Series</b>				
YL-6023	Industrial Adaptor, 2-Poles + Earth, UK 13A : SCHUKO, Black	110g	500	ea	<b>118688</b>	
	Industrial Adaptor, 2-Poles + Earth, Italy 10A : SCHUKO, Black	102g	500	ea	<b>118684</b>	
United Kingdom	Industrial Adaptor, 2-Poles + Earth, South Africa : SCHUKO, Black	126g	500	ea	<b>118687</b>	
Italy	Industrial Adaptor, 2-Poles + Earth, Israel : SCHUKO, Black	94g	500	ea	<b>118686</b>	
YL-2623	Industrial Adaptor, 2-Poles + Earth, Denmark : SCHUKO, Black	96g	500	ea	<b>118658</b>	
YL-3523	Industrial Adaptor, 2-Poles + Earth, Australia 10A : SCHUKO, Black	94g	500	ea	<b>118683</b>	
YL-4623	Industrial Adaptor, 2-Poles + Earth, Switzerland 10A : SCHUKO, Black	98g	500	ea	<b>118685</b>	
	Consult Doc #9007 for further YL-Adaptors available.					
South Africa	Denmark	Australia	Switzerland			
YL-4523	YL-5623	YL-4823	YL-2623	YL-3523	YL-4623	
			Check <b>Doc #2231</b> for further infos.			